

**Amendments to the Claims**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1. (currently amended)A method of treating a subterranean formation comprising the steps of:
  - (a) providing an aqueous suspension of colloidal dispersed particles and, wherein the dispersed particles consist essentially of colloidal particles comprising a material selected from the group consisting of silica, aluminum oxide, antimony oxide, tin oxide, cerium oxide, yttrium oxide and zirconium oxide, with the proviso that the colloidal particles are not mica particulates;
  - (b) injecting down a well an aqueous fluid comprising a thickening amount of a viscoelastic surfactant; and,
  - (c) injecting down a well the aqueous suspension of dispersed particles.
2. (original)The method of claim 1, wherein the permeability of said subterranean formation is between about 5 and about 100 md.
3. (original)The method of claim 2, wherein the permeability of said subterranean formation is between about 10 and about 50 md.
4. (canceled)
5. (original)The method of claim 1, wherein the particles are spherical.
6. (original)The method of claim 5, wherein the particles have a diameter ranging from about 8nm to about 250nm.
7. (original)The method of claim 1, wherein the particles are elongated.
8. (original)The method of claim 7, wherein the particles have a length between about 100 and about 300nm.

9. (original)The method of claim 1, wherein said viscoelastic surfactant is an anionic surfactant.
10. (original)The method of claim 1, wherein said viscoelastic surfactant is a cationic surfactant.
11. (original)The method of claim 1, wherein said viscoelastic surfactant is a zwitterionic surfactant.
12. (currently amended)A method of treating a subterranean formation comprising the steps of:
  - (a) providing an aqueous suspension of colloidal dispersed particles and, wherein the dispersed particles consist essentially of colloidal particles comprising a material selected from the group consisting of silica, aluminum oxide, antimony oxide, tin oxide, cerium oxide, yttrium oxide and zirconium oxide, with the proviso that the colloidal particles are not mica particulates; and
  - (b) injecting down a well an aqueous fluid comprising a viscoelastic surfactant and a hydrophobically-modified polymer, said hydrophobically-modified polymer being present at a concentration between approximately its overlap concentration  $c^*$  and approximately its entanglement concentration  $c_{ei}$ ; and,
  - (c) injecting down a well the aqueous suspension of dispersed particles.
13. (original)The method of claim 12, wherein the permeability of said subterranean formation is between about 5 and about 100 md.
14. (original)The method of claim 13, wherein the permeability of said subterranean formation is between about 10 and about 50 md.
15. (canceled)
16. (original)The method of claim 12, wherein the particles are spherical.
17. (currently amended)The method of claim 1716, wherein the particles have a diameter ranging from about 8nm to about 250nm.
18. (original)The method of claim 12, wherein the particles are elongated.

19. (original)The method of claim 18, wherein the particles have a length between about 100 and about 300nm.
20. (currently amended)The method of claim 12, wherein said viscoelastic surfactant is an anionic surfactant.
21. (original)The method of claim 12, wherein said viscoelastic surfactant is a cationic surfactant.
22. (currently amended)The method of claim 12, wherein said viscoelastic surfactant is a zwitterionic surfactant.
23. (currently amended)The method of claim 1 ~~or 12~~ wherein the colloidal particles are added at a concentration between about 0.1 and 0.5 wt%.
24. (new)The method of claim 12 wherein the colloidal particles are added at a concentration between about 0.1 and 0.5 wt%.
25. (new)The method of claim 1 wherein the dispersed particles consisting essentially of colloidal particles consist of colloidal particles.